ELSEVIER

International Journal of Mass Spectrometry 210/211 (2001) 677–678

www.elsevier.com/locate/ijms

Author index

Amster, I.J., 651
Armentrout, P.B., 283
Atkins, B., 569
Audier, H.E., 429

Bache-Andreassen, L., 459
Baranov, V., 303
Bartmess, J.E., 231
Bateman, R., 665
Beauchamp, J.L., 613
Bierbaum, V.M., 223
Bloor, J.E., 231
Bogdanov, B., 387
Bohme, D.K., 303
Boon, J.J., 591
Bouchonnet, S., 59
Bouchoux, G., 189
Bourcier, S., 59
Bowen, R.D., 447
Bowers, M.T., 265
Bowek, J.H., 557
Brancia, F.L., 665
Brown, T., 249
Budzikiewicz, H., 603
Burgers, P.C., 489

Cao, B., 241
Cardoso, A.M., 563
Casida, M.E., 21
Chamot-Rooke, J., 429
Claeys, M., 21
Clipston, N.L., 249
Cooks, R.G., 133
Croley, T.R., 371
Cross, R.J., Jr., 241
Cui, W., 241

Dargel, T.K., 43
Davico, G.E., 223
de Koster, C.G., 591
De Pauw, E., 113
Denault, J.W., 133
DePuy, C.H., 223
Di Donna, L., 165
Drewello, T., 249
Dua, S., 557
Duursma, M.C., 591

Eberlin, M.N., 469
Edelson-Averbukh, M., 545

Farrugia, J.M., 71
Ferra, J.J., Jr., 511
Ferrer-Correia, A.J., 563
Filippi, A., 483
Flammang, R., 31
Fuchs, R., 603

Gabelica, V., 113
Garcia, B., 215
Gaskell, S.J., 665
Ge, Y., 203
Gerbaux, P., 31
Giardini, A., 483
Giblin, D., 569
Gloe, K., 327
Glückmann, M., 121
Grimm, D.T., 231
Gross, M.L., 569
Grotemeyer, J., 521
Grützmacher, H.-F., 311
Guilhaus, M., 89
Guler, L., 511

Hammerum, S., 403
Hare, M.C., 153
Harrison, A.G., 361
Heck, A.J.R., 637
Heeren, R.M.A., 591
Higgins, P.R., 231
Hillenkamp, F., 121
Hinde, R.J., 231
Holman, R.W., 569
Holmes, J.L., 147
Hoppilliard, Y., 59
Horn, D.M., 203
Horneffer, V., 121
Howard, C.J., 503
Hubbard, S.J., 665
Hudson, C.E., 417
Hughes, R.J., 371
Hungerbühler, H., 249

Imamura, H., 585
Irth, H., 625

Julian, R.R., 613

Karas, M., 121
Kass, S.R., 153
Kato, S., 223
Kemper, P.R., 265
Kenttämaa, H.I., 511
Khong, A., 241
Koch, W., 43
Koster, S., 591
Kretzschmar, I., 283
Krüger, R., 121
Kuck, D., 531
Kurtz, D.M., Jr., 661

Laprévote, O., 113
Latini, A., 483
Lavorato, D.J., 43
Leblanc, D., 189
Lebrilla, C.B., 215
Lee, H.J.S., 387
Lee, H.S., 223
Lemaire, D., 113
Lifshitz, C., 241
Luftmann, H., 249

Mandelbaum, A., 545
Mandeville, S.J., 447
March, R.E., 371
Marimanikkuppam, S.S., 153
Marshall, A.G., 101
McAdoo, D.J., 417
McAnoy, A.M., 557
McGibbon, G.A., 43
McLafferty, F.W., 203
McMahon, T.B., 387, 429
Meffert, A., 521
Metcalfe, C.D., 371
Meurer, E.C., 469
Mlynski, V., 89
Möder, M., 327
Morgon, N.H., 173
Morlender-Vais, N., 147
Mormann, M., 531
Morrison, G.C., 503
Mourgues, P., 429

Napoli, A., 165

1387-3806/01/$20.00 © 2001 Elsevier Science B.V. All rights reserved

Nedev, H., 429

O'Hair, R.A.J., 71
Oliver, S.G., 665

Peres, T., 241
Petersen, A.C., 403
Pfenninger, A., 121
Piccirillo, S., 483
Pross, A., 1

Radom, L., 1
Ramirez, J., 215
Ramírez-Arizmendi, L.E., 511
Ramos, L.E., 563
Rees, K., 557
Reid, G.E., 71
Rempel, D., 569
Riveros, J.M., 173
Rue, C., 283
Ruttink, P.J.A., 489

Sablier, M., 189
Salahub, D.R., 21
Saunders, M., 241
Sawada, M., 585
Schröder, D., 283
Schwarz, H., 43, 283
Scuderi, D., 483
Selby, D.S., 89
Shizuma, M., 585
Sidhu, K., 665
Simjee, N., 249
Sindona, G., 165
Sølling, T.I., 1
Speranza, M., 483
Stone, J.A., 341
Strupat, K., 121
Sullivan, A.G., 665

Takahashi, S., 585
Takai, Y., 585
Takeda, T., 585
Taylor, P.K., 651
Terlouw, J.K., 43, 447, 489
Thierolf, M., 121
Thoen, K.K., 511
Tjaden, U.R., 625
Traeger, J.C., 181
Trikoupis, M.A., 447, 489
Tyldesley, R., 665

Uggerud, E., 459

van Benthem, R.A.T.M., 591
van der Greef, J., 625
van der Hart, W.J., 13
van der Rest, G., 101, 429
van Elswijk, D.A., 625
Vedernikova, I., 21
Versluis, C., 637
Vögtle, F., 327
Vukomanovic, D., 341

Wellbrock, C., 311
Wentrup, C., 31
Wichmann, K., 327
Williams, T.I., 133
Wong, M.W., 31
Wong, S., 215

Yamada, H., 585

Zhang, Q., 265
Zorić, S., 311

ELSEVIER

International Journal of Mass Spectrometry 210/211 (2001) 679–687

www.elsevier.com/locate/ijms

Subject index

Ab initio calculations
Ab initio calculations on the isomerization of alkene radical cations. 2. Ring opening of cycloalkane radical cations, 13
Acetamide enolate: formation, reactivity, and proton affinity, 153
Benzonitrile assisted enolization of the acetone and acetamide radical cations: proton-transport catalysis versus an intermolecular $H^{+/\cdot}$ transfer mechanism, 489
Beta cleavages of distonic ions, alpha cleavages of enol ions, isomerizations of distonic and enol ions and corresponding reactions of free radicals, 417
Influence of fluorine substitution on the structures and thermochemistry of chloride ion–ether complexes in the gas phase, 387
The methylene chloride radical cation and its distonic isomers in the gas phase, 403
Acetamide enolate
Acetamide enolate: formation, reactivity, and proton affinity, 153
Acidity
The geometric dependence of acidity: hexamethyldisilazide anion, 231
Addition reactions
Hydrogen atom abstraction and addition reactions of charged phenyl radicals with aromatic substrates in the gas phase, 511
Aldehyde and ketone detection
Selective detection of gas-phase aldehydes and ketones using protonated hydrazine, 503
Alkali adducts
Excitation processes in alkali-cationized esters: a molecular orbital study, 21
Alkali metals
Electrospray and collisionally activated dissociation study of the association of pyocyanin with alkali metal cations and doubly charged alkaline earth and zinc cations, 341
Alkaline earth metals
Electrospray and collisionally activated dissociation study of the association of pyocyanin with alkali metal cations and doubly charged alkaline earth and zinc cations, 341
Alkylbenzenes, protonated
Interconversion of gaseous bicyclo[3.2.1]oct-2-en-4-yl cations and protonated 7-alkylcycloheptatrienes: [5 + 2] cycloreversion in competition with fragmentation by way of alkylbenzenium ions, 531
Ambident nucleophiles
Acetamide enolate: formation, reactivity, and proton affinity, 153
Amine
The geometric dependence of acidity: hexamethyldisilazide anion, 231
Amino acids
Dissociative proton transfer in cluster ions: clusters of aromatic carboxylic acids with amino acids, 521
Thermal dissociation of protonated cyclodextrin-amino acid complexes in the gas phase, 215
Analyte incorporation
Mechanisms in MALDI analysis: Surface interaction or incorporation of analytes?, 121
Appearance energy
Heats of formation for the propen-1-ol and propen-2-ol cations by photoionization mass spectrometry, 181
Aromatic acids
Dissociative proton transfer in cluster ions: clusters of aromatic carboxylic acids with amino acids, 521
Aromatic substrates
Hydrogen atom abstraction and addition reactions of charged phenyl radicals with aromatic substrates in the gas phase, 511
Arylalkylamines
Gas phase reactions of the oxygen radical anion with arylalkylamines, 563
Azacage metal complexes
Study on formation and stability of azacage metal complexes using electrospray mass spectrometry, 327

Based bioassay
Mass spectrometry–based bioassay for the screening of soluble orphan receptors, 625
Benzene
Determination of ionization energies by the thermokinetic method, 189
Bicyclic carbocations

Interconversion of gaseous bicyclo[3.2.1]oct-2-en-4-yl cations and protonated 7-alkylcycloheptatrienes: [5 + 2] cycloreversion in competition with fragmentation by way of alkylbenzenium ions, 531

Bicyclo[3.2.1]octenyl ions

Interconversion of gaseous bicyclo[3.2.1]oct-2-en-4-yl cations and protonated 7-alkylcycloheptatrienes: [5 + 2] cycloreversion in competition with fragmentation by way of alkylbenzenium ions, 531

Bipyridine

Electrospray and collisionally activated dissociation study of the association of pyocyanin with alkali metal cations and doubly charged alkaline earth and zinc cations, 341

Blackbody infrared radiative dissociation

Blackbody infrared radiative dissociation of larger (42 kDa) multiply charged proteins, 203

Bond energies

$Fe(CH_4)_n^+$ and $Ni(CH_4)_n^+$ clusters: experimental and theoretical bond energies for n = 1−6, 265

CAD

Cyclopropane as a propagating reagent in gas-phase radical cation oligomerization, 569

Electrospray and collisionally activated dissociation study of the association of pyocyanin with alkali metal cations and doubly charged alkaline earth and zinc cations, 341

CAD MS/MS

Gas-phase dissociation of hemoglobin, 637

Carbenes

Pyrimidine-ylidenes produced using neutralization–reionization mass spectrometry and probed by density functional methods, 43

Catalyzed keto-enol tautomerism

Catalyzed keto-enol tautomerism of ionized acetone: a Fourier transform ion cyclotron resonance mass spectrometry study of proton transport isomerization, 429

Cationic azabutadienes

Gas-phase polar [4$^+$ + 2] cycloaddition of cationic 2-azabutadienes with enol ethers, 469

CBS-QB3, G2

Benzonitrile assisted enolization of the acetone and acetamide radical cations: proton-transport catalysis versus an intermolecular $H^{+\cdot}$ transfer mechanism, 489

(c-C_5H_5)Fe^+

Coordination chemistry of Fe^+, (c-C_5H_5)Fe^+, and (c-C_5H_5)$2Fe^+$ in the gas phase at room temperature: kinetics of sequential ligation with hydrogen cyanide and cyanoacetylene, 303

$C_5H_{10}^{+\cdot}$

Ab initio calculations on the isomerization of alkene radical cations. 2. Ring opening of cycloalkane radical cations, 13

$C_6H_{12}^{+\cdot}$

Ab initio calculations on the isomerization of alkene radical cations. 2. Ring opening of cycloalkane radical cations, 13

Chemical ionization (CI)

Stereospecific elimination of dihydropyran from protonated tetrahydropyranyl (THP) difunctional derivatives upon chemical ionization and collision-induced dissociation: intramolecular interactions in polyfunctional ions, 545

Chiral discrimination

Chiral discrimination of monofunctional alcohols and amines in the gas phase, 483

Chloride ion–(fluorinated) ether complexes

Influence of fluorine substitution on the structures and thermochemistry of chloride ion-ether complexes in the gas phase, 387

$C_4H_8N^+$

Gas-phase polar [4$^+$ + 2] cycloaddition of cationic 2-azabutadienes with enol ethers, 469

Chromium sulfide

Guided ion beam studies of the state-specific reactions of Cr^+ and Mn^+ with CS_2 and COS, 283

Clusters

Dissociative proton transfer in cluster ions: clusters of aromatic carboxylic acids with amino acids, 521

Collisional activation

Characterization of $C_2S_4^{+\cdot}$ isomers by mass spectrometry and ab initio molecular orbital calculations, 31

Collision-induced dissociation (CID)

Acetamide enolate: formation, reactivity, and proton affinity, 153

Complexation of transition metal ions M^+ (M = Fe, Co, Ni, Cu, Zn, Ag) by [2.n]paracyclophane-enes (n = 3, 4, 5, 6) in the gas phase: effect of the molecular cavity on the complexation capability, 311

Coordination chemistry of Fe^+, (c-C_5H_5)Fe^+, and (c-C_5H_5)$2Fe^+$ in the gas phase at room temperature: kinetics of sequential ligation with hydrogen cyanide and cyanoacetylene, 303

Excitation processes in alkali-cationized esters: a molecular orbital study, 21

Stereospecific elimination of dihydropyran from protonated tetrahydropyranyl (THP) difunctional derivatives upon chemical ionization and collision-induced dissociation: intramolecular interactions in polyfunctional ions, 545

18-Crown-6-ether

Site specific sequestering and stabilization of charge in peptides by supramolecular adduct formation with 18-crown-6 ether by way of electrospray ionization, 613

C_2S_4 radical cations

Characterization of $C_2S_4^{\cdot+}$ isomers by mass spectrometry and ab initio molecular orbital calculations, 31
Cyanoacetylene
Coordination chemistry of Fe^+, $(c\text{-}C_5H_5)Fe^+$, and $(c\text{-}C_5H_5)2Fe^+$ in the gas phase at room temperature: kinetics of sequential ligation with hydrogen cyanide and cyanoacetylene, 303
Cycloaddition reactions
Gas-phase polar $[4^+ + 2]$ cycloaddition of cationic 2-azabutadienes with enol ethers, 469
Cyclodextrin
Thermal dissociation of protonated cyclodextrin-amino acid complexes in the gas phase, 215
Cycloheptatrienes, protonated
Interconversion of gaseous bicyclo[3.2.1]oct-2-en-4-yl cations and protonated 7-alkylcycloheptatrienes: [5 + 2] cycloreversion in competition with fragmentation by way of alkylbenzenium ions, 531
Cycloolefins
Interconversion of gaseous bicyclo[3.2.1]oct-2-en-4-yl cations and protonated 7-alkylcycloheptatrienes: [5 + 2] cycloreversion in competition with fragmentation by way of alkylbenzenium ions, 531
Cyclopentanone
Determination of ionization energies by the thermokinetic method, 189
Cyclophanes
Complexation of transition metal ions M^+ (M = Fe, Co, Ni, Cu, Zn, Ag) by [2.n]paracyclophane-enes (n = 3, 4, 5, 6) in the gas phase: effect of the molecular cavity on the complexation capability, 311

Database searching
The exploitation of selective cleavage of singly protonated peptide ions adjacent to aspartic acid residues using a quadrupole orthogonal time-of-flight mass spectrometer equipped with a MALDI source, 665
Density functional theory
Pyrimidine-ylidenes produced using neutralization–reionization mass spectrometry and probed by density functional methods, 43
Deprotonated methyl phenyl carbonate
Loss of CO_2 from the *ortho* isomer of deprotonated methyl phenyl carbonate involves a methyl migration, 557
α-Deuterium kinetic isotope effects (KIEs)
Deuterium kinetic isotope effects in gas phase S_N2 reactions, 223
Deuterium labeling
Facile *ee*-determination from a single measurement by fast atom bombardment mass spectrometry: a double labeling method, 585
Reactions of ionised methyl pent-4-enyl ether, $CH_2 = CH(CH_2)_3OCH_3^+$, 447
2D FTICR
Noise analysis for 2D tandem Fourier transform ion cyclotron resonance mass spectrometry, 101
DFT molecular orbital calculations
Ionization of 2,5-dihydroxybenzoic acid (DHB) matarix-assisted laser desorption ionization experiments and theoretical study, 59
Diastereomeric complexes
Chiral discrimination of monofunctional alcohols and amines in the gas phase, 483
2,5-Dihydroxybenzoic acid
Ionization of 2,5-dihydroxybenzoic acid (DHB) matarix-assisted laser desorption ionization experiments and theoretical study, 59
Dimer radical cation
Benzonitrile assisted enolization of the acetone and acetamide radical cations: proton-transport catalysis versus an intermolecular $H^{+\prime}$ transfer mechanism, 489
1,2-Dimethyloxyethane
Proton affinities of two weakly bidentate molecules: 1,2-dimethoxyethane and methoxyacetone, 147
Distonic ions
Beta cleavages of distonic ions, alpha cleavages of enol ions, isomerizations of distonic and enol ions and corresponding reactions of free radicals, 417
Reactions of ionised methyl pent-4-enyl ether, $CH_2 = CH(CH_2)_3OCH_3^+$, 447

ECP
A high-level ab initio investigation of identity and non-identity gas-phase S_N2 reactions of halide ions with halophosphines, 1
Electron affinity
Electron affinity of $X_nGe(OMe)_{3-n}$ radicals (X = H, F; n = 0−2) and the Ge–H bond dissociation energy, 173
Electrospray ionization (ESI)
Blackbody infrared radiative dissociation of larger (42 kDa) multiply charged proteins, 203
Electrospray and collisionally activated dissociation study of the association of pyocyanin with alkali metal cations and doubly charged alkaline earth and zinc cations, 341
Electrospray ionization Fourier transform ion cyclotron resonance mass spectrometry of multimeric metalloproteins, 651
Kinetics of solvent addition on electrosprayed ions in an electrospray source and in a quadrupole ion trap, 113
Rearrangement reactions in the electrospray ionization mass spectra of pyoverdins$^+$, 603
Site specific sequestering and stabilization of charge in peptides by supramolecular adduct formation with 18-crown-6 ether by way of electrospray ionization, 613

Structural characterization of hyperbranched polyesteramides: MS^n and the origin of species, 591
Electrospray mass spectrometry
Study on formation and stability of azacage metal complexes using electrospray mass spectrometry, 327
Enantiomeric excess
Facile *ee*-determination from a single measurement by fast atom bombardment mass spectrometry: a double labeling method, 585
Endohedral fullerenes
Some new diatomic molecule containing endohedral fullerenes, 241
Enol ethers
Gas-phase polar [$4^+ + 2$] cycloaddition of cationic 2-azabutadienes with enol ethers, 469
Enol ions
Beta cleavages of distonic ions, alpha cleavages of enol ions, isomerizations of distonic and enol ions and corresponding reactions of free radicals, 417
Enolization
Benzonitrile assisted enolization of the acetone and acetamide radical cations: proton-transport catalysis versus an intermolecular $H^{+\cdot}$ transfer mechanism, 489
Entropy analysis
Proton affinity of deuterated acetonitrile estimated by the kinetic method with full entropy analysis, 133

FAB mass spectrometry
Facile *ee*-determination from a single measurement by fast atom bombardment mass spectrometry: a double labeling method, 585
Fatty acids
Excitation processes in alkali-cationized esters: a molecular orbital study, 21
Fe^+
Coordination chemistry of Fe^+, $(c\text{-}C_5H_5)Fe^+$, and $(c\text{-}C_5H_5)2Fe^+$ in the gas phase at room temperature: kinetics of sequential ligation with hydrogen cyanide and cyanoacetylene, 303
$Fe(CH_4)^+n$ clusters
$Fe(CH_4)_n^+$ and $Ni(CH_4)_n^+$ clusters: experimental and theoretical bond energies for n = 1−6, 265
Femtosecond activation
Dissociative proton transfer in cluster ions: clusters of aromatic carboxylic acids with amino acids, 521
Ferredoxin
Electrospray ionization Fourier transform ion cyclotron resonance mass spectrometry of multimeric metalloproteins, 651
Flavones
A tandem mass spectrometric study of selected characteristic flavonoids, 371
Flavonoids
A tandem mass spectrometric study of selected characteristic flavonoids, 371
Fourier-transform ion cyclotron resonance
Blackbody infrared radiative dissociation of larger (42 kDa) multiply charged proteins, 203
Noise analysis for 2D tandem Fourier transform ion cyclotron resonance mass spectrometry, 101
Fragmentation mechanisms
Gas phase reactions of the oxygen radical anion with arylalkylamines, 563
Ion chemistry of protonated glutamic acid derivatives, 361
Free radicals
Beta cleavages of distonic ions, alpha cleavages of enol ions, isomerizations of distonic and enol ions and corresponding reactions of free radicals, 417
FTICR mass spectrometry
Catalyzed keto-enol tautomerism of ionized acetone: a Fourier transform ion cyclotron resonance mass spectrometry study of proton transport isomerization, 429
Electrospray ionization Fourier transform ion cyclotron resonance mass spectrometry of multimeric metalloproteins, 651
Structural characterization of hyperbranched polyesteramides: MS^n and the origin of species, 591
FTMS
Acetamide enolate: formation, reactivity, and proton affinity, 153
Cyclopropane as a propagating reagent in gas-phase radical cation oligomerization, 569
Noise analysis for 2D tandem Fourier transform ion cyclotron resonance mass spectrometry, 101
Fullerene derivatives
Matrix-assisted laser desorption/ionization of amphiphilic fullerene derivatives, 249

G2
A high-level ab initio investigation of identity and nonidentity gas-phase S_N2 reactions of halide ions with halophosphines, 1
Gas-phase
Deuterium kinetic isotope effects in gas phase S_N2 reactions, 223
The geometric dependence of acidity: hexamethyldisilazide anion, 231
Gas-phase acidities
Electron affinity of $X_nGe(OMe)_{3-n}$ radicals (X = H, F; n = 0−2) and the Ge–H bond dissociation energy, 173
Gas-phase ion chemistry
Selective detection of gas-phase aldehydes and ketones using protonated hydrazine, 503

Gas-phase ligation kinetics
Coordination chemistry of Fe^+, $(c\text{-}C_5H_5)Fe^+$, and $(c\text{-}C_5H_5)2Fe^+$ in the gas phase at room temperature: kinetics of sequential ligation with hydrogen cyanide and cyanoacetylene, 303
Gas-phase oligomerization
Cyclopropane as a propagating reagent in gas-phase radical cation oligomerization, 569
Gas-phase proton transport
Catalyzed keto-enol tautomerism of ionized acetone: a Fourier transform ion cyclotron resonance mass spectrometry study of proton transport isomerization, 429
Gas-phase reactivity
Hydrogen atom abstraction and addition reactions of charged phenyl radicals with aromatic substrates in the gas phase, 511
Ge–H bond energies
Electron affinity of $X_nGe(OMe)_{3-n}$ radicals (X = H, F; n = 0−2) and the Ge–H bond dissociation energy, 173
Germyl anions
Electron affinity of $X_nGe(OMe)_{3-n}$ radicals (X = H, F; n = 0−2) and the Ge–H bond dissociation energy, 173
Glutamic acid derivatives
Ion chemistry of protonated glutamic acid derivatives, 361

Halophosphines
A high-level ab initio investigation of identity and non-identity gas-phase S_N2 reactions of halide ions with halophosphines, 1
σ-Hammett proton affinity correlation
Entropy effect in the evaluation of the proton affinity of $_n$-3-benzoyl-2-deoxycytidines by the kinetic method, 165
Heat of formation
Heats of formation for the propen-1-ol and propen-2-ol cations by photoionization mass spectrometry, 181
Heavy atom isotope effects
The methylene chloride radical cation and its distonic isomers in the gas phase, 403
Hemoglobin
Electrospray ionization Fourier transform ion cyclotron resonance mass spectrometry of multimeric metalloproteins, 651
Gas-phase dissociation of hemoglobin, 637
High-temperature high-pressure incorporation
Some new diatomic molecule containing endohedral fullerenes, 241
Host–guest complex
Complexation of transition metal ions M^+ (M = Fe, Co, Ni, Cu, Zn, Ag) by [2.n]paracyclophane-enes (n = 3, 4, 5, 6) in the gas phase: effect of the molecular cavity on the complexation capability, 311
Facile *ee*-determination from a single measurement by fast atom bombardment mass spectrometry: a double labeling method, 585
Hydrogen cyanide
Coordination chemistry of Fe^+, $(c\text{-}C_5H_5)Fe^+$, and $(c\text{-}C_5H_5)2Fe^+$ in the gas phase at room temperature: kinetics of sequential ligation with hydrogen cyanide and cyanoacetylene, 303
Hyperbranched polyesteramides
Structural characterization of hyperbranched polyesteramides: MS^n and the origin of species, 591

Iminium ions
Gas-phase polar [4+ + 2] cycloaddition of cationic 2-azabutadienes with enol ethers, 469
Immonium ions
Gas-phase polar [4+ + 2] cycloaddition of cationic 2-azabutadienes with enol ethers, 469
Inclusion complex
Thermal dissociation of protonated cyclodextrin-amino acid complexes in the gas phase, 215
In-source collision activation
Study on formation and stability of azacage metal complexes using electrospray mass spectrometry, 327
Intramolecular interactions
Stereospecific elimination of dihydropyran from protonated tetrahydropyranyl (THP) difunctional derivatives upon chemical ionization and collision-induced dissociation: intramolecular interactions in polyfunctional ions, 545
Ion cyclotron resonance (ICR)
Noise analysis for 2D tandem Fourier transform ion cyclotron resonance mass spectrometry, 101
Ionization energy
Determination of ionization energies by the thermokinetic method, 189
Ionization mechanisms
Ionization of 2,5-dihydroxybenzoic acid (DHB) matarix-assisted laser desorption ionization experiments and theoretical study, 59
Ion-molecule reactions
Characterization of $C_2S_4^{\cdot+}$ isomers by mass spectrometry and ab initio molecular orbital calculations, 31
Cyclopropane as a propagating reagent in gas-phase radical cation oligomerization, 569
Gas-phase polar [4+ + 2] cycloaddition of cationic 2-azabutadienes with enol ethers, 469
Kinetics of solvent addition on electrosprayed ions in an electrospray source and in a quadrupole ion trap, 113
Ion-neutral complexes
Reactions of ionised methyl pent-4-enyl ether, $CH_2 = CH(CH_2)_3OCH_3^{\cdot+}$, 447

Isoflavones
A tandem mass spectrometric study of selected characteristic flavonoids, 371
Isomerization
Beta cleavages of distonic ions, alpha cleavages of enol ions, isomerizations of distonic and enol ions and corresponding reactions of free radicals, 417
The methylene chloride radical cation and its distonic isomers in the gas phase+, 403
Isomerization kinetics
Catalyzed keto-enol tautomerism of ionized acetone: a Fourier transform ion cyclotron resonance mass spectrometry study of proton transport isomerization, 429
Isotopic labelling
Ion chemistry of protonated glutamic acid derivatives, 361

Kinetic energy release
Interconversion of gaseous bicyclo[3.2.1]oct-2-en-4-yl cations and protonated 7-alkylcycloheptatrienes: [5 + 2] cycloreversion in competition with fragmentation by way of alkylbenzenium ions, 531
Kinetic isotope effect
Proton affinity of deuterated acetonitrile estimated by the kinetic method with full entropy analysis, 133
Kinetic method
Entropy effect in the evaluation of the proton affinity of $_n$-3-benzoyl-2-deoxycytidines by the kinetic method, 165
Proton affinities of two weakly bidentate molecules: 1,2-dimethoxyethane and methoxyacetone, 147
Proton affinity of deuterated acetonitrile estimated by the kinetic method with full entropy analysis, 133

Laser desorption
Ionization of 2,5-dihydroxybenzoic acid (DHB) matrix-assisted laser desorption ionization experiments and theoretical study, 59

Manganese sulfide
Guided ion beam studies of the state-specific reactions of Cr^+ and Mn^+ with CS_2 and COS, 283
Mass spectrometry
Characterization of $C_2S_4^{\cdot+}$ isomers by mass spectrometry and ab initio molecular orbital calculations, 31
Ionization of 2,5-dihydroxybenzoic acid (DHB) matrix-assisted laser desorption ionization experiments and theoretical study, 59
Mass spectrometry-based bioassay for the screening of soluble orphan receptors, 625
Matrix-assisted laser desorption/ionization of amphiphilic fullerene derivatives, 249
A mechanistic investigation of the reactions between the *tert*-butyl methylene oxonium ion ($CH_2OC(CH_3)_3^+$) and ammonia: competition between substitution, addition-elimination, and elimination, 459
Matrix analyte interaction
Mechanisms in MALDI analysis: surface interaction or incorporation of analytes?, 121
Matrix-assisted laser desorption ionization (MALDI)
A 20 kV orthogonal acceleration time-of-flight mass spectrometer for matrix-assisted laser desorption/ionisation, 89
Matrix-assisted laser desorption/ionization of amphiphilic fullerene derivatives, 249
Mechanisms in MALDI analysis: surface interaction or incorporation of analytes?, 121
McLafferty rearrangement
Heats of formation for the propen-1-ol and propen-2-ol cations by photoionization mass spectrometry, 181
Metalloproteins
Electrospray ionization Fourier transform ion cyclotron resonance mass spectrometry of multimeric metalloproteins, 651
Methoxyacetone
Proton affinities of two weakly bidentate molecules: 1,2-dimethoxyethane and methoxyacetone, 147
MIKEs
Some new diatomic molecule containing endohedral fullerenes, 241
Mixture analysis
Noise analysis for 2D tandem Fourier transform ion cyclotron resonance mass spectrometry, 101
Molecular weight distribution
Structural characterization of hyperbranched polyesteramides: MS^n and the origin of species, 591
MS/MS
Noise analysis for 2D tandem Fourier transform ion cyclotron resonance mass spectrometry, 101
Multiphoton ionization
Dissociative proton transfer in cluster ions: clusters of aromatic carboxylic acids with amino acids, 521
Multiply charged proteins
Blackbody infrared radiative dissociation of larger (42 kDa) multiply charged proteins, 203
Multistage mass spectrometry
Do all b_2 ions have oxazolone structures? Multistage mass spectrometry and ab initio studies on protonated *N*-acyl amino acid methyl ester model systems, 71

Negative chemical ionization
Gas phase reactions of the oxygen radical anion with arylalkylamines, 563
Negative ions

Loss of CO_2 from the *ortho* isomer of deprotonated methyl phenyl carbonate involves a methyl migration, 557
Neutralization-reionization
Characterization of $C_2S_4^{\cdot+}$ isomers by mass spectrometry and ab initio molecular orbital calculations, 31
Pyrimidine-ylidenes produced using neutralization–reionization mass spectrometry and probed by density functional methods, 43
$Ni(CH_4)^+n$ clusters
$Fe(CH_4)_n^+$ and $Ni(CH_4)_n^+$ clusters: experimental and theoretical bond energies for n = 1−6, 265
Nigerythrin
Electrospray ionization Fourier transform ion cyclotron resonance mass spectrometry of multimeric metalloproteins, 651
Nitriles
Proton affinity of deuterated acetonitrile estimated by the kinetic method with full entropy analysis, 133
Noncovalent complexes
Gas-phase dissociation of hemoglobin, 637
Nucleophilic substitution
A high-level ab initio investigation of identity and non-identity gas-phase S_N2 reactions of halide ions with halophosphines, 1
Nucleophilic substitution (S_N2) reactions
Deuterium kinetic isotope effects in gas phase S_N2 reactions, 223

Optical purity
Facile *ee*-determination from a single measurement by fast atom bombardment mass spectrometry: a double labeling method, 585
Orthogonal acceleration
A 20 kV orthogonal acceleration time-of-flight mass spectrometer for matarix-assisted laser desorption/ionisation, 89
Orthogonal-time-of-flight
The exploitation of selective cleavage of singly protonated peptide ions adjacent to aspartic acid residues using a quadrupole orthogonal time-of-flight mass spectrometer equipped with a MALDI, 665
Oxygen radical anion
Gas-phase reactions of the oxygen radical anion with arylalkylamines, 563

Pentaquadrupole mass spectrometry
Gas-phase polar [$4^+ + 2$] cycloaddition of cationic 2-azabutadienes with enol ethers, 469
Peptide fragmentation
The exploitation of selective cleavage of singly protonated peptide ions adjacent to aspartic acid residues using a quadrupole orthogonal time-of-flight mass spectrometer equipped with a MALDI source, 665
Phenyl radicals
Hydrogen atom abstraction and addition reactions of charged phenyl radicals with aromatic substrates in the gas phase, 511
Photoionization
Heats of formation for the propen-1-ol and propen-2-ol cations by photoionization mass spectrometry, 181
PHPMS
Influence of fluorine substitution on the structures and thermochemistry of chloride ion–ether complexes in the gas phase, 387
Plant emissions
Selective detection of gas-phase aldehydes and ketones using protonated hydrazine, 503
Polycondensation
Structural characterization of hyperbranched polyesteramides: MS^n and the origin of species, 591
Propen-1-ol cation
Heats of formation for the propen-1-ol and propen-2-ol cations by photoionization mass spectrometry, 181
Propen-2-ol cation
Heats of formation for the propen-1-ol and propen-2-ol cations by photoionization mass spectrometry, 181
Protein assemblies
Gas-phase dissociation of hemoglobin, 637
Protein sequencing
Blackbody infrared radiative dissociation of larger (42 kDa) multiply charged proteins, 203
Proteomics
The exploitation of selective cleavage of singly protonated peptide ions adjacent to aspartic acid residues using a quadrupole orthogonal time-of-flight mass spectrometer equipped with a MALDI source, 665
Proton affinity
Catalyzed keto-enol tautomerism of ionized acetone: a Fourier transform ion cyclotron resonance mass spectrometry study of proton transport isomerization, 429
Entropy effect in the evaluation of the proton affinity of $_n$-3-benzoyl-2-deoxycytidines by the kinetic method, 165
Proton affinities of two weakly bidentate molecules: 1,2-dimethoxyethane and methoxyacetone, 147
Proton affinity of deuterated acetonitrile estimated by the kinetic method with full entropy analysis, 133
Protonated hydrazine
Selective detection of gas-phase aldehydes and ketones using protonated hydrazine, 503
Protonated peptide fragmentation
Do all b_2 ions have oxazolone structures? Multistage mass spectrometry and ab initio studies on protonated *N*-acyl amino acid methyl ester model systems, 71
Proton bridging

Stereospecific elimination of dihydropyran from protonated tetrahydropyranyl (THP) difunctional derivatives upon chemical ionization and collision-induced dissociation: intramolecular interactions in polyfunctional ions, 545
Proton-transport catalysis
Benzonitrile assisted enolization of the acetone and acetamide radical cations: proton-transport catalysis versus an intermolecular $H^{+/\cdot}$ transfer mechanism, 489
Pseudomonas
Rearrangement reactions in the electrospray ionization mass spectra of pyoverdins$^+$, 603
Pseudorotation
A high-level ab initio investigation of identity and non-identity gas-phase S_N2 reactions of halide ions with halophosphines, 1
Pyocyanin
Electrospray and collisionally activated dissociation study of the association of pyocyanin with alkali metal cations and doubly charged alkaline earth and zinc cations, 341
Pyoverdins
Rearrangement reactions in the electrospray ionization mass spectra of pyoverdins$^+$, 603

Quadrupole ion trap
Kinetics of solvent addition on electrosprayed ions in an electrospray source and in a quadrupole ion trap, 113
Site specific sequestering and stabilization of charge in peptides by supramolecular adduct formation with 18-crown-6 ether by way of electrospray ionization, 613
Quantum chemistry
A mechanistic investigation of the reactions between the *tert*-butyl methylene oxonium ion $[CH_2OC(CH_3)_3^+]$ and ammonia: competition between substitution, addition-elimination, and elimination, 459

Radical substitution
Hydrogen atom abstraction and addition reactions of charged phenyl radicals with aromatic substrates in the gas phase, 511
Reaction mechanism
A mechanistic investigation of the reactions between the *tert*-butyl methylene oxonium ion $[CH_2OC(CH_3)_3^+]$ and ammonia: competition between substitution, addition-elimination, and elimination, 459
Rearrangement
Loss of CO_2 from the *ortho* isomer of deprotonated methyl phenyl carbonate involves a methyl migration, 557
Reactions of ionised methyl pent-4-enyl ether, $CH_2 = CH(CH_2)_3OCH_3^+$, 447
Rearrangement reaction
Rearrangement reactions in the electrospray ionization mass spectra of pyoverdins$^+$, 603
Rehybridization
The geometric dependence of acidity: hexamethyldisilazide anion, 231
Resonance-enhanced two-photon ionization (R2PI) spectroscopy
Chiral discrimination of monofunctional alcohols and amines in the gas phase, 483
Ring opening
Ab initio calculations on the isomerization of alkene radical cations. 2. Ring opening of cycloalkane radical cations, 13

Sequential clustering
$Fe(CH_4)_n^+$ and $Ni(CH_4)_n^+$ clusters: experimental and theoretical bond energies for n = 1−6, 265
SIFT technique
Coordination chemistry of Fe^+, $(c\text{-}C_5H_5)Fe^+$, and $(c\text{-}C_5H_5)2Fe^+$ in the gas phase at room temperature: kinetics of sequential ligation with hydrogen cyanide and cyanoacetylene, 303
SIMS
Complexation of transition metal ions M^+ (M = Fe, Co, Ni, Cu, Zn, Ag) by [2.n]paracyclophane-enes (n = 3, 4, 5, 6) in the gas phase: effect of the molecular cavity on the complexation capability, 311
Skeletal isomerization
Interconversion of gaseous bicyclo[3.2.1]oct-2-en-4-yl cations and protonated 7-alkylcycloheptatrienes: [5 + 2] cycloreversion in competition with fragmentation by way of alkylbenzenium ions, 531
Soluble orphan receptors
Mass spectrometry-based bioassay for the screening of soluble orphan receptors, 625
Solvent
Kinetics of solvent addition on electrosprayed ions in an electrospray source and in a quadrupole ion trap, 113
State specific
Guided ion beam studies of the state-specific reactions of Cr^+ and Mn^+ with CS_2 and COS, 283
Stereochemical effects
Stereospecific elimination of dihydropyran from protonated tetrahydropyranyl (THP) difunctional derivatives upon chemical ionization and collision-induced dissociation: intramolecular interactions in polyfunctional ions, 545
Structures
Influence of fluorine substitution on the structures and thermochemistry of chloride ion–ether complexes in the gas phase, 387
Structures of b ions

Do all b_2 ions have oxazolone structures? Multistage mass spectrometry and ab initio studies on protonated *N*-acyl amino acid methyl ester model systems, 71
Sulfur transfer
Guided ion beam studies of the state-specific reactions of Cr^+ and Mn^+ with CS_2 and COS, 283
Supersonic beams
Chiral discrimination of monofunctional alcohols and amines in the gas phase, 483
Supramolecular adduct formation
Site specific sequestering and stabilization of charge in peptides by supramolecular adduct formation with 18-crown-6 ether by way of electrospray ionization, 613

Tandem mass spectrometry
Benzonitrile assisted enolization of the acetone and acetamide radical cations: proton-transport catalysis versus an intermolecular $H^{+\cdot}$ transfer mechanism, 489
Cyclopropane as a propagating reagent in gas-phase radical cation oligomerization, 569
A tandem mass spectrometric study of selected characteristic flavonoids, 371
Tetrahydropyranyl (THP) esters
Stereospecific elimination of dihydropyran from protonated tetrahydropyranyl (THP) difunctional derivatives upon chemical ionization and collision-induced dissociation: intramolecular interactions in polyfunctional ions, 545
Theoretical calculations
Excitation processes in alkali-cationized esters: a molecular orbital study, 21
$Fe(CH_4)_n^+$ and $Ni(CH_4)_n^+$ clusters: experimental and theoretical bond energies for n = 1−6, 265
Thermochemistry
Influence of fluorine substitution on the structures and thermochemistry of chloride ion-ether complexes in the gas phase, 387
Stereospecific elimination of dihydropyran from protonated tetrahydropyranyl (THP) difunctional derivatives upon chemical ionization and collision-induced dissociation: intramolecular interactions in polyfunctional ions, 545
Thermokinetic method
Determination of ionization energies by the thermokinetic method, 189
Time-of-flight mass spectrometry
Chiral discrimination of monofunctional alcohols and amines in the gas phase, 483
Dissociative proton transfer in cluster ions: clusters of aromatic carboxylic acids with amino acids, 521
A 20 kV orthogonal acceleration time-of-flight mass spectrometer for matarix-assisted laser desorption/ionization, 89
Transition metal ion
Complexation of transition metal ions M^+ (M = Fe, Co, Ni, Cu, Zn, Ag) by [2.n]paracyclophane-enes (n = 3, 4, 5, 6) in the gas phase: effect of the molecular cavity on the complexation capability, 311

Unimolecular decompositions
Ionization of 2,5-dihydroxybenzoic acid (DHB) matarix-assisted laser desorption ionization experiments and theoretical study, 59
UV-MALDI
Mechanisms in MALDI analysis: Surface interaction or incorporation of analytes?, 121

Vinyl alcohol
Determination of ionization energies by the thermokinetic method, 189

Ylide ions
Pyrimidine-ylidenes produced using neutralization–reionization mass spectrometry and probed by density functional methods, 43

Zinc
Electrospray and collisionally activated dissociation study of the association of pyocyanin with alkali metal cations and doubly charged alkaline earth and zinc cations, 341